

4. Opiates on a Cracker: The Cheese Seduction

1. Hazum E, Sabatka JJ, Chang KJ, Brent DA, Findlay JWA, Cuatrecasas P. Morphine in cow and human milk: Could dietary morphine constitute a ligand for specific morphine (μ) receptors? *Science* 1981;213:1010-2.
2. Benyhe S. Morphine: new aspects in the study of an ancient compound. *Life Sci* 1994;55:969-79.
3. Meisel H, FitzGerald RJ. Opioid peptides encrypted in intact milk protein sequences. *Br J Nutr* 2000;84(suppl 1):S27-S31.
4. Panksepp J, Normansell L, Siviy S, Rossi J, Zolovick AJ. Casomorphins reduce separation distress in chicks. *Peptides* 1984;5:829-31.
5. Shah NP. Effects of milk-derived bioactives: an overview. *Br J Nutr* 2000;84(suppl 1):S3-S10.
6. Meisel H. Chemical characterization of opioid activity of an exorphin isolated from in vivo digests of casein. *FEBS Letters* 1986;196:223-7.
7. Teschemacher H, Umbach M, Hamel U, et al. No evidence for the presence of β -casomorphin in human plasma after ingestion of cows' milk or milk products. *J Dairy Res* 1986; 53:135-8.
8. Umbach M, Teschemacher H, Praetorius K, Hirschhäuser R, Bostedt H. Demonstration of a β -casomorphin immunoreactive material in the plasma of newborn calves after milk intake. *Regulatory Peptides* 1985;12:223-30.
9. Chabance B, Marteau P, Rambaud JC, Migliore-Samour D, Boynard M, Perrotin P, Guillet R, Jollès P, Fiat AM. Casein peptide release and passage to the blood in humans during digestion of milk or yogurt. *Biochimie* 1998;80:155-65.
10. Clyne PS, Kulczycki A. Human breast milk contains bovine IgG. Relationship to infant colic? *Pediatrics* 1991;87:439-44.

11. Lindström LH, Nyberg F, Terenius L, et al. CSF and plasma β -casomorphin-like opioid peptides in postpartum psychosis. *Am J Psychiatry* 1984;141:1059–66.
12. Nyberg F, Lindström LH, Terenius L. Reduced beta-casein levels in milk samples from patients with postpartum psychosis. *Biol Psychiatry* 1988;23:115–22.
13. Nyberg F, Lieberman H, Lindström LH, Lyrenäs S, Koch G, Terenius L. Immuno-reactive β -casomorphin-8 in cerebrospinal fluid from pregnant and lactating women: correlation with plasma levels. *J Clin Endocrinol Metab* 1989;68:283–9.
14. Chaytor JP, Crathorne B, Saxby MJ. The identification and significance of 2-phenylethylamine in foods. *J Sci Fd Agric* 1975;26:593–8.
15. Teschemacher H, Koch G, Brantl V. Milk protein-derived opioid receptor ligands. *Biopolymers* 1997;43:99–117.
16. Ratner D, Eshel E, Vigder K. Juvenile rheumatoid arthritis and milk allergy. *J Royal Soc Med* 1985;78:410–13.
17. Giovannucci E, Rimm EB, Wolk A, Ascherio A, Stampfer MJ, Colditz GA, Willett WC. Calcium and fructose intake in relation to risk of prostate cancer. *Cancer Res* 1998;58:442–7.
18. Chan JM, Stampfer MJ, Ma J, Gann PH, Gaziano JM, Giovannucci E. Dairy products, calcium, and prostate cancer risk in the Physicians' Health Study. *Am J Clin Nutr* 2001;74:549–54.
19. Heaney RP, McCarron DA, Dawson-Hughes B, et al. Dietary changes favorably affect bone remodeling in older adults. *J Am Dietetic Asso* 1999;99:1228–33.
20. Cohen P. Serum insulin-like growth factor-I levels and prostate cancer risk—interpreting the evidence. *J Natl Cancer Inst* 1998;90:876–9.
21. Peyrat JP, Bonnetterre J, Hecquet B, et al. Plasma insulin-like growth factor-1 (IGF-1) concentrations in human breast cancer. *Eur J Cancer* 1993;29A:492–7.
22. Hankinson SE, Willett WC, Colditz GA, et al. Circulating concentrations of insulin-like growth factor-1 and risk of breast cancer. *Lancet* 1998;351:1393–6.
23. Ross RK, Henderson BE. Do diet and androgens alter prostate cancer risk via a common aetiologic pathway? *J Natl Cancer Inst* 1994;86:252–254.
24. Lloyd T, Chinchilli VM, Johnson-Rollings N, Kieselhorst K, Egli DF, Marcus R. Adult female hip bone density reflects teenage sports-exercise patterns but not teenage calcium intake. *Pediatrics* 2000;106:40–4.
25. Feskanich D, Willett WC, Stampfer MJ, Colditz GA. Milk, dietary calcium, and bone fractures in women: a 12-year prospective study. *Am J Publ Health* 1997; 87:992–7.